

UNION LAYUP CONVEYOR



The Union Tool Corporation

P.O. Box 935
Warsaw, IN 46581-0935
Phone: 574/267-3211
Fax: 574/267-5703

PB #913191

E-Mail: info@uniontoolcorp.com
Website: www.uniontoolcorp.com

UNION LAYUP CONVEYOR

The Union Layup Conveyor is utilized within our Engineered Flooring Lamination line to transport and align wood core planks from our Union Hot Melt Roller Coater to our Union Multi Nip Rotary Laminator. During the transportation process, this conveyor also acts as a layup station for an operator to lay up top side lamellas onto the coated surface of each core plank as they exit the hot melt roller coater and before they enter the multi nip rotary laminator.

Construction: Heavy wall welded tubular steel and plate steel construction

Conveyor: Galvanized steel rollers are incorporated to drive the core planks

Power: 1 HP AC variable speed Motor; with 110-volt controls

Speed: 0 to 100 l.f.p.m.

Edge Guides: Stainless Steel

Safety: Emergency push stop buttons located in multiple positions.

The overall width and length of the conveyor is all determined by each customer's specific needs; however, most common lengths are 12', 14', and 16'.

The Union Tool Corporation

P.O. Box 935

Warsaw, IN 46581-0935

574/267-3211

Fax: 574/267-5703

E-mail: info@uniontoolcorp.com

Website: www.uniontoolcorp.com

913191